











275/K4-700F

Fixed bollards with counterframe

Maximum security for perimenter protection

The **fixed anti-terrorism bollard with counterframe** guarantees perimeter protection for **sensitive areas, squares, and city centers**.

Designed to withstand extreme vehicle impacts, it **matches perfectly with automatic bollards**, maintaining a consistent visual appearance.

- Reduced height from the high-security line for discreet protection
- Also available with LED lights for improved nighttime visibility
- The cylinder can be replaced if needed
- It withstands impacts from 7.500 kg trucks at 50 km/h

Smart! Perfect in combination with automatic bollards, thanks to its identical design



Standard configuration

The standard configuration of our systems is designed to ensure efficiency, safety and ease of management. The configuration includes:

- Anthracite grey painted steel bollard, a device for controlling vehicle access
- Foundation box, underground structure and rebars.



Pilomat S.r.I. Via Zanica 17/P, Grassobbio (BG) Italia pilomat@pilomat.com www.pilomat.com












275/K4-700F

Fixed bollards with counterframe


275/K4-700F


	2/3/14-7001
Cylinder material	S355JR normal steel - X5CrNi 18-10 (AISI 304) - X5CrNiMo 17-12-2 (AISI 316) stainless steel
Cylinder diameter	273mm
Cylinder height	700mm
Cylinder thickness	10mm
Cylinder normal steel finish	Anti-corrosion treatment - grey anthracite standard painting
Cylinder stainless steel finish	Grey anthracite standard painting or brushing
Reflecting adhesive strip	Standard - height 55mm
Connection line for LED lighting strips	Standard 10m (max 80m)
Protection class	IP 67
Impact resistance	250.000 J
Breakout resistance	750.000 J
In compliance with	PAS68, IWA 14-1, ASTM M30 (K4)





Pilomat S.r.I. Via Zanica 17/P, Grassobbio (BG) Italia pilomat@pilomat.com www.pilomat.com















275/K4-700F

Fixed bollards with counterframe

Pilomat offers safety accessories for every installed system: reflecting strio, LED lighting strip. Each device is designed to ensure maximum efficiency, clear signaling and secure control.

Available finishes




Safety and visibility





Special design





Custom cover plate

RAL painted cover

Frame for paving stones





Pilomat S.r.l. Via Zanica 17/P, Grassobbio (BG) Italia pilomat@pilomat.com www.pilomat.com