



FIXED

PL
SERIES



PUBLIC



COMMERCIAL



PRIVATE

220/PL-600F / 220/PL-800F

Fixed bollards with counterframe



Permanent delimitation and protection

The fixed bollards of the **PL Series** with counterframe are designed to ensure continuous protection with no need for maintenance, offering an aesthetically **coordinated solution with automatic and semi-automatic bollards**.

- Fixed protection with **no need for electrical power**
- **Matching appearance** with automatic and semi-automatic models
- **Easily removable cylinder** for replacement or special events
- Optional **LED strip for enhanced night visibility**
- Ideal for pedestrian areas in **city centers** or company premises.

Smart! **Stone pavement:** Request the frame or the pit to ensure a professional finish!



Standard configuration

The standard configuration of our systems is designed to ensure efficiency, safety and ease of management. The configuration includes:

- **Anthracite grey painted steel bollard**, a device for controlling vehicle access with **counterframe and anchors** for ground fitting.

PILOMAT
HÖRMANN

Pilomat S.r.l.
Via Zanica 17/P, Grassobbio (BG) Italia
pilomat@pilomat.com www.pilomat.com



FIXED

PL
SERIES



PUBLIC



COMMERCIAL




PRIVATE

220/PL-600F / 220/PL-800F

Fixed bollards with counterframe

	220/PL-600F	220/PL-800F
Cylinder material	S235JR normal steel - X5CrNi 18-10 (AISI 304) stainless steel	
Cylinder diameter	220mm	
Cylinder height	600mm	800mm
Cylinder thickness	4mm	
Cylinder normal steel finish	Anti-corrosion treatment - grey anthracite standard painting	
Cylinder stainless steel finish	Grey anthracite standard painting or brushing	
Reflecting adhesive strip	Standard - height 55mm	
Connection line for LED lighting strips	Standard 10m (max 80)	
Protection class	IP 67	
Impact resistance	30.000 J	
Breakout resistance	150.000 J	
Counterframe for ground fitting	Standard - complete with 4 anchors for ground fitting	





Impact resistance

● 30,000 J

Breakout resistance

● 150,000 J



PILOMAT
HÖRMANN

Pilomat S.r.l.
Via Zanica 17/P, Grassobbio (BG) Italia
pilomat@pilomat.com www.pilomat.com

The images shown are for illustrative purposes only and may not exactly represent the actual product.

rev.00 | 05/08/2025



FIXED

PL
SERIES



PUBLIC



COMMERCIAL



PRIVATE

220/PL-600F / 220/PL-800F

Fixed bollards with counterframe

Pilomat offers **safety accessories** for every installed system: including photocells, flashing lights and acoustic sensors for emergency vehicles. Each device is designed to **ensure maximum efficiency, clear signaling and secure control.**

Available finishes



RAL painting

Brushing

Anti-corrosion
treatment

Safety and visibility



Reflecting strip

LED lighting strip

Special design



RAL painted
cover

Frame for paving
stones



PILOMAT
HÖRMANN

Pilomat S.r.l.
Via Zanica 17/P, Grassobbio (BG) Italia
pilomat@pilomat.com www.pilomat.com