











OKTABLOCK

Temporary vehicle barriers

Instant protection, no installation required

Oktablock is a certified IWA14 and PAS68 temporary security barrier. No installation is needed—just position it to ensure immediate protection. In case of impact, it overturns to stop the vehicle without requiring anchoring.

Modular, transportable, and reusable, it adapts to any urban setting or event.

- Protects entrances to streets and spaces used for **outdoor events**
- Also available in TR version, certified by the German Police
- Withstands impacts from trucks at 50 km/h
- Certified according to IWA 14-1 and PAS68 standards.

Smart! Easy to move and position thanks to Oktamover!



Standard configuration

The standard configuration of our systems is designed to ensure efficiency, safety and ease of management. The configuration includes:

- Mobile Oktablock, a device for controlling vehicle access
- Reflecting strips, for better visibility all-around
- M20 eyebolt included sling rope, transport aid for lifting



Pilomat S.r.I. Via Zanica 17/P, Grassobbio (BG) Italia pilomat@pilomat.com www.pilomat.com










OKTABLOCK

Temporary vehicle barriers

OKTABLOCK


Cylinder material	S355 JR normal steel
Cylinder diameter	273mm
Cylinder height	1250mm
Cylinder thickness	16mm
Base plate dimensions	800x800x30mm
Cylinder weigth	approx. 350Kg
Reflecting adhesive strip	Standard - height 55mm
Cylinder finish	Grey anthracite standard painting
Cylinder infill	Concrete
Breakout resistance	750.000 J
Certified according to	PAS68, IWA 14-1 (level M30/K4)
Type of installation	On surface - without ancorage
Transport aid for lifting the OktaBlock	Eyebolt M20 and sling rope included in the scope of delivery




Breakout resistance
750,000 J



Pilomat S.r.I. Via Zanica 17/P, Grassobbio (BG) Italia pilomat@pilomat.com www.pilomat.com













OKTABLOCK

Temporary vehicle barriers

Pilomat offers **safety accessories** for every installed system: including placement and maintenace case, Oktamover for quick transport. Each device is designed to **ensure maximum efficiency, clear signaling and secure control.**

Transport and fitting







Placement case

Maintenance case

Oktamover

Sling round rope

Safety and visibility








Reflecting band

Reflecting stickers

Warning light





Pilomat S.r.I. Via Zanica 17/P, Grassobbio (BG) Italia pilomat@pilomat.com www.pilomat.com