

NEW ROAD BLOCKER MOBILE




ROAD BLOCKER MOBILE

The ROAD BLOCKER MOBILE has been designed for the temporary protection of streets, squares or outdoor events. These products have a modular system, based on a fixed module and a module with retractable blocking element that can be combined together to offer a complete protection.

GENERAL FEATURES

- No need of civil works for installation
- Easy installation and removal
- Front and back ramps are included as standard equipment
- Lateral ramps are available as optional

MODULE WITH RETRACTABLE
BLOCKING ELEMENT



FIXED MODULE FOR
PEDESTRIAN PASSAGE

PAG.1/3

PILOMAT
HÖRMANN
100% MADE IN ITALY

PILOMAT s.r.l.
www.pilomat.com / pilomat@pilomat.com
Via Zanica 17/p, 24050, Grassobbio (BG) Italy
Tel. +39.035.29.72.20
Copyright 2023© Pilomat S.r.l. All rights reserved

REVIEW 11/04/2023

Information in this document is for reference only. In pursuit of its policy of continuous refinement and improvement, Pilomat reserves the right to amend this information at any time and without prior notice.
Picture shown is for illustration purpose only.

ROAD BLOCKER MOBILE



AVAILABLE ITEMS

SURCHARGE FOR PAINTING IN RAL TO CHOOSE

LATERAL RAMP

KIT LIGHTING STRIP

KIT COMFORT

- Decelerator for comfortable closure of the mobile door
- Improved handling for easier opening of mobile door
- Easier system for ramps installation (Pins instead of screws)

KIT EASY STOCK





- Forkable system for movement during installation also with manual transpallet
- Special pallet to optimize multiple Mobile road blocker storage

OPENING SYSTEMS

- Electric motion with battery and remote control system
- Semiautomatic motion separated pit with hydraulic pump operated by screwdriver
- Hydraulic motion, hydraulic piston, integrated control board and remote control system

DESIGN PACKAGE

Customized cover for mobile door



EXAMPLE

3 modules with mobile door, front and back part

PAG.2/3

PILOMAT
HÖRMANN
100% MADE IN ITALY

PILOMAT s.r.l.
www.pilomat.com / pilomat@pilomat.com
Via Zanica 17/p, 24050, Grassobbio (BG) Italy
Tel. +39.035.29.72.20
Copyright 2023© Pilomat S.r.l. All rights reserved

REVIEW 11/04/2023

Information in this document is for reference only. In pursuit of its policy of continuous refinement and improvement, Pilomat reserves the right to amend this information at any time and without prior notice.
Picture shown is for illustration purpose only.

ROAD BLOCKER MOBILE



BLOCKING ELEMENT HEIGHT IN EXENDED POSITION	755mm
RETRACTABLE BLOCKING ELEMENT WIDTH	600mm
MOVEMENT PRINCIPLE	MANUAL
FIXED MODULE DIMENSION	800 x 2340 x h 130mm
MODULE WITH BLOCKING ELEMENT DIMENSION	1000 x 2340 x h 130mm
SURFACE FINISH	ANTI-CORROSION TREATMENT - STANDARD PAINTING ANTHRACITE GREY FOR THE FRAME AND RED FOR THE BLOCKING ELEMENT
REFLECTING ADHESIVE STRIP	STANDARD - HEIGHT 55mm
FRONT AND BACK RAMP	STANDARD
LATERAL RAMP	OPTIONAL
LED LIGHTING STRIP	OPTIONAL
BREAKOUT RESISTANCE	750.000 J
LOAD CLASS (EN124)	D400
IN COMPLIANCE WITH	ASTM M30 (K4), DIN SPEC 91414

